


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4490$ $y=0.4002$ $u'=0.2601$ $v'=0.5217$

CCT=2776K (Duv=-0.0029) Dominant WL:Ld =584.9nm Purity=54.9%

Ratio:R=26.8% G=70.3% B=3.0% Peak WL:Lp=621.6nm FWHM=140.0nm

Render Index:Ra=95.6

R1 =99 R2 =98 R3 =97 R4 =98 R5 =99 R6 =94 R7 =92

R8 =86 R9 =73 R10=98 R11=96 R12=89 R13=99 R14=99 R15=95

Photo Parameters:

Flux = 443.3 lm Eff. : 44.57 lm/W Fe = 1.588 W

Electrical parameters:

V = 120.08 V I = 0.08362 A P = 9.947 W PF = 0.9906

LEVEL:OUT WHITE:ANSI_2700K

Status: Integral T = 720 ms Ip = 38317 (58%)

GBT5702

Model:OD-WS08

Tester:

Temperature:25.3Deg

Manufacturer:ADS


No.样品测试1

Date:2025-01-21

Humidity:65.0%

Remark:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.4230$ $y=0.3857$ / $u'=0.2495$ $v'=0.5118$

CCT=3092K (Duv=-0.0055) Dominant WL:Ld =584.8nm Purity=42.7%

Ratio: R=25.0% G=71.4% B=3.6% Peak WL:Lp=622.1nm FWHM=162.2nm

Render Index: Ra=95.4

R1 =98 R2 =97 R3 =97 R4 =98 R5 =98 R6 =93 R7 =93

R8 =90 R9 =81 R10=95 R11=96 R12=84 R13=97 R14=99 R15=98

Photo Parameters:

Flux = 458.0 lm Eff. : 46.57 lm/W Fe = 1.643 W

Electrical parameters:

V = 120.08 V I = 0.08269 A P = 9.834 W PF = 0.9904

LEVEL:OUT WHITE:ANSI_3000K

Status: Integral T = 720 ms Ip = 36782 (56%)

GBT5702

Model:OD-WS08

Tester:

Temperature:25.3Deg

Manufacturer:ADS


No.样品测试2

Date:2025-01-21

Humidity:65.0%

Remark:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3959$ $y=0.3714$ / $u'=0.2376$ $v'=0.5015$

CCT=3553K (Duv=-0.0066) Dominant WL:Ld =584.3nm Purity=30.3%

Ratio: R=22.8% G=72.9% B=4.3% Peak WL:Lp=453.4nm FWHM=24.6nm

Render Index: Ra=95.8

R1 =97 R2 =96 R3 =98 R4 =99 R5 =97 R6 =93 R7 =94

R8 =93 R9 =89 R10=95 R11=97 R12=79 R13=96 R14=99 R15=98

Photo Parameters:

Flux = 476.1 lm Eff. : 49.13 lm/W Fe = 1.706 W

Electrical parameters:

V = 120.08 V I = 0.08150 A P = 9.691 W PF = 0.9903

LEVEL:OUT WHITE:OUT


Status: Integral T = 720 ms Ip = 35178 (54%)

GBT5702

Model:OD-WS08
Tester:
Temperature:25.3Deg
Manufacturer:ADS

No.样品测试3
Date:2025-01-21
Humidity:65.0%
Remark:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3727$ $y=0.3593$ $u'=0.2270$ $v'=0.4925$

CCT=4089K (Duv=-0.0061) Dominant WL:Ld =583.3nm Purity=19.7%

Ratio:R=20.8% G=74.3% B=4.9% Peak WL:Lp=453.4nm FWHM=23.6nm

Render Index:Ra=96.1

R1 =97 R2 =97 R3 =98 R4 =98 R5 =96 R6 =94 R7 =95

R8 =95 R9 =92 R10=97 R11=98 R12=75 R13=97 R14=99 R15=97

Photo Parameters:

Flux = 487.7 lm Eff. : 50.45 lm/W Fe = 1.744 W

Electrical parameters:

V = 120.09 V I = 0.08128 A P = 9.666 W PF = 0.9903

LEVEL:OUT WHITE:OUT


Status: Integral T = 720 ms Ip = 35671 (54%)

GBT5702

Model:OD-WS08
Tester:
Temperature:25.3Deg
Manufacturer:ADS

No.样品测试4
Date:2025-01-21
Humidity:65.0%
Remark:---

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate:x=0.3425 y=0.3440/u'=0.2126 v'=0.4805
CCT=5077K(Duv=-0.0028) Dominant WL:Ld =576.2nm Purity=6.0%
Ratio:R=17.9% G=76.4% B=5.7% Peak WL:Lp=453.2nm FWHM=23.1nm
Render Index:Ra=95.7
R1 =97 R2 =98 R3 =96 R4 =97 R5 =96 R6 =93 R7 =95
R8 =94 R9 =87 R10=95 R11=96 R12=73 R13=98 R14=98 R15=98

Photo Parameters:

Flux = 493.4 lm Eff. : 49.85 lm/W Fe = 1.756 W

Electrical parameters:

V = 120.09 V I = 0.08320 A P = 9.897 W PF = 0.9906
LEVEL:OUT WHITE:ANSI_5000K
Status: Integral T = 720 ms Ip = 44213 (67%)

GBT5702

Model:OD-WS08
Tester:
Temperature:25.3Deg
Manufacturer:ADS

No.样品测试5
Date:2025-01-21
Humidity:65.0%
Remark:---