



**Dimmable | Wet Location Rated**

**Features**

- » NEW SCREWLESS modern version
- » Fits standard North American junction boxes
- » cETLus listed for indoor and outdoor wet applications
- » High quality components
- » All trims available in all styles and colors
- » Dimmable
- » +50,000 hour lifespan

**Applications**

- » Step lighting
- » Path lighting
- » Deck lighting

Modern Screwless LED Step Light | For Indoor & Outdoor Applications



<b>Product Code</b>	ALED - RT05HV (High Voltage) ALED - RT05LV (Low Voltage)	<b>Color Temperature</b>	WW 2700K / 3000K / 4000K / CW 5000K / (RGB - 12V DC)
<b>Voltage</b>	100 - 120V AC 12V AC / DC	<b>Lumens</b>	185
<b>Wattage</b>	2W	<b>Trim Options</b>	Horizontal Recessed, Vertical Recessed, Flat Open
<b>Dimensions</b>	Fits with single gang junction box	<b>Finish Options</b>	Brushed Nickel, Black, White, Dark Bronze, Chrome, or Custom

Outdoor & Wet Location Rated | cETLus Listed | 3 Year Warranty

**#1 ::: Light Engine :::**

- Horizontal  
ALED - RT05HV - RH (High Voltage)  
ALED - RT05LV - RH (Low Voltage)
- Vertical  
ALED - RT05HV - RV (High Voltage)  
ALED - RT05LV - RV (Low Voltage)
- Flat Open  
ALED - RT05HV (High Voltage)  
ALED - RT05LV (Low Voltage)

**#2 ::: Trim Style :::**

Horizontal Recessed (RH)



Trim Color	Product Ordering Code
Brushed Nickel (BN) Black (BK) White (WT) Dark Bronze (DB) Chrome (CH)	ALED - RT05 - RH - T - ## - XX

Vertical Recessed (RV)



Brushed Nickel (BN) Black (BK) White (WT) Dark Bronze (DB) Chrome (CH)	ALED - RT05 - RV - T - ## - XX
--	--------------------------------

Flat Open (RO)



Brushed Nickel (BN) Black (BK) White (WT) Dark Bronze (DB) Chrome (CH)	ALED - RT05 - RO - T - ## - XX
--	--------------------------------

## = Trim Color XX = Color Temperature



**Features**

- » NEW SCREWLESS version
- » Fits standard North American junction boxes
- » cETLus listed for indoor and outdoor wet applications
- » High quality components
- » All trims available in all styles and colors
- » Dimmable
- » +50,000 hour lifespan

**Applications**

- » Step lighting
- » Path lighting
- » Deck lighting

Window & Louvered Screwless LED Step Light | For Indoor & Outdoor Applications



<b>Product Code</b>	ALED - RT05HV (High Voltage) ALED - RT05LV (Low Voltage)	<b>Color Temperature</b>	WW 2700K / 3000K / 4000K / CW 5000K / (RGB - 12V DC)
<b>Voltage</b>	100 - 120V AC 12V AC / DC	<b>Lumens</b>	145
<b>Wattage</b>	2W	<b>Trim Options</b>	Open Window , Horizontal Louvered, Vertical Louvered
<b>Dimensions</b>	Fits with single gang junction box	<b>Finish Options</b>	Brushed Nickel, Black, White Dark Bronze, Chrome, or Custom

Outdoor & Wet Location Rated | cETLus Listed | 3 Year Warranty

#1 :: Light Engine ::



ALED - RT05HV - XX (High Voltage)  
ALED - RT05LV - XX (Low Voltage)  
XX = Color Temperature

Includes gasket

#2 :: Trim Style ::

Trim Color

Product Ordering Code

Horizontal

## = Trim Color



Window (SW)

Brushed Nickel (BN)  
Black (BK)  
White (WT)

ALED - RT05 - SW - ##

Louvered (SLV)

Dark Bronze (DB)  
Chrome (CH)

ALED - RT05 - SLV - ##

Vertical



Louvered (SVL)

Brushed Nickel (BN)  
Black (BK)  
White (WT)  
Dark Bronze (DB)  
Chrome (CH)

ALED - RT05 - SVL - ##



### Features

- » NEW PHOTOCELL or MOTION SENSOR SCREWLESS version
- » Fits standard North American junction boxes
- » cETLus listed for indoor and outdoor wet applications
- » High quality components
- » All trims available in all styles and colors
- » +50,000 hour lifespan
- » 3 year warranty

### Applications

- » Step lighting
- » Path lighting
- » Deck lighting

### Photocell Screwless LED Step Light

<b>Product Code</b>	High Voltage: ALED - RT05HV - PTCL - ** - ## - XX Low Voltage: ALED - RT05LV - PTCL - ** - ## - XX (* = Trim Option ## = Trim Color XX = Color Temperature)
<b>Function</b>	Turn on when in dark
<b>Voltage</b>	100 - 120V AC 12V AC / DC
<b>Wattage</b>	2W
<b>Color Temperature (XX)</b>	WW 2700K / 3000K / 4000K / CW 5000K
<b>Lumens</b>	145
<b>Dimensions</b>	Fits with single gang junction box
<b>Trim Options (**)</b>	Window (SW), Horizontal Louvered (SLV), Vertical Louvered (SVL)
<b>Finish Options (##)</b>	Brushed Nickel (BN), Black (BK), White (WT), Dark Bronze (DB), Chrome (CH), or Custom (C)
<b>Includes</b>	Light engine and trim packaged together

### Motion Sensor Screwless LED Step Light

<b>Light Engine Product Code</b>	High Voltage: ALED - RT05HV - MS - XX Low Voltage: ALED - RT05LV - MS - XX (XX = Color Temperature)
<b>Function</b>	Turn on when human is near
<b>Voltage</b>	100 - 120V AC 12V AC / DC
<b>Wattage</b>	2W
<b>Color Temperature</b>	WW 2700K / 3000K / 4000K / CW 5000K
<b>Lumens</b>	145
<b>Dimensions</b>	Fits with single gang junction box
<b>Trim Product Code</b>	ALED - RT05 - ** - ## (* = Trim Options ## = Trim Color)
<b>Trim Options (**)</b>	Window (SW), Horizontal Louvered (SLV), Vertical Louvered (SVL)
<b>Finish Options (##)</b>	Brushed Nickel (BN), Black (BK), White (WT), Dark Bronze (DB), Chrome (CH), or Custom (C)
<b>Includes</b>	Can be packaged together or separately



### Features

- » cETLus listed for indoor and outdoor wet applications
- » Fits standard North American junction boxes
- » Simple to install
- » All trims available in all styles and colors
- » +50,000 hour lifespan
- » We can package trim and light engine separate or together

### Applications

- » Step lighting
- » Path lighting
- » Deck lighting

## Modern LED Step Light | For Indoor & Outdoor Applications



<b>Product Code</b>	ALED - RT05HV (High Voltage) ALED - RT05LV (Low Voltage)	<b>Color Temperature</b>	WW 2700K / 3000K / 4000K / CW 5000K / (RGB - 12V DC)
<b>Wattage</b>	2W	<b>Lumens</b>	145
<b>Voltage</b>	100 - 120V AC 12V AC/DC	<b>Trim Options</b>	Window, Horizontal Louvered, Vertical Louvered, Scoop
<b>Dimensions</b>	Fits with single gang junction box	<b>Finish Options</b>	Brushed Nickel, Black, White, Dark Bronze, Chrome, or Custom

Wet Location Rated | cETLus Listed | 3 Year Warranty

### #1 :: Light Engine ::



ALED - RT05HV - XX (High Voltage)  
ALED - RT05LV - XX (Low Voltage)  
XX = Color Temperature

Includes gasket

### #2 :: Trim Style ::

Trim Color

Product Ordering Code

#### Horizontal

## = Trim Color

	Window (W)	Brushed Nickel (BN) Black (BK) White (WT)	ALED - RT05 - TR - W - ##
	Louvered (L)	Dark Bronze (DB) Chrome (CH)	ALED - RT05 - TR - L - ##

#### Vertical

	Vertical Louvered (VL)	Brushed Nickel (BN) Black (BK) White (WT)	ALED - RT05 - TR - VL - ##
	Scoop (SC)	Dark Bronze (DB) Chrome (CH)	ALED - RT05 - TR - SC - ##

PARTS CAN BE PACKAGED TOGETHER OR SEPARATE