


Date: \_\_\_\_\_  
 In hands date of project: \_\_\_\_\_  
 Project name/Number: \_\_\_\_\_  
 Name of distributor: \_\_\_\_\_  
 Client #: \_\_\_\_\_  
 Name of end user: \_\_\_\_\_



## ORDERING INFORMATION

Order code: 65456  
 Description: LED/CL8/EDGELIT/14W/30K/FM/RND/WH/STD  
 UPC: 69549654563  
 Case quantity: 1/20  
 Luminaire description: Round LED Edge Lit Ceiling Luminaire

## TECHNICAL DRAWING



Diameter: 8 1/8" (206 mm)  
 Height: 31/32" (25 mm)

## FEATURES AND SPECIFICATIONS

Lens type: Frosted Polycarbonate  
 Trim finish: White

## FIXTURE PERFORMANCE

Wattage (W): 14  
 Colour temperature (K): 3 000  
 CRI: >80  
 Average life (hrs): 50 000  
 Lumens: 1 066  
 Efficacy (LPW): 76  
 Voltage (V): 120  
 Frequency (Hz): 60  
 Power factor: 0.95  
 Mounting: Surface Mount/Flush-mount  
 Dimmer type: Forward-Reverse phase

## TOTAL HARMONIC DISTORTION (THD)

<15%

## AMBIENT OPERATING TEMPERATURES

- 20 °C / - 4 °F to 50 °C / 122 °F



CAN ICES-005 (B)  
 This lighting equipment complies with Canadian standard ICES-005 for use in residential applications.

## COMPATIBLE DIMMER LIST

Legrand HCL453P  
 Cooper AAL06, SLC03P  
 Leviton 6615, 6674, DSL06-1LZ, DSM10-1LZ, IPE04-1LZ, IPL06  
 Lutron AYCL-253P, CTCL-153P, DVCL-153P, DVCL-253P, DVELV-300P, MACL-153P, NTELV-600, PD-6WCL, SELV-300P


For a complete list of ENERGY STAR qualified products, please visit [www.standardpro.com](http://www.standardpro.com)  
 The attached data is provided to assist users in making lighting decisions based on various assumptions, factors and methods. Resources and efforts have been put in place to account for the data and the development of this tool however STANDARD does not warrant or guarantee that the results obtained will be accurate under actual use conditions. A lighting layout is recommend to ensure the proper light levels are attained to satisfy the demand of the application.  
 Data is based upon tests performed in a controlled environment and representative of relative performance.  
 Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.



## ORDERING INFORMATION

Order code: 65456  
 Description: LED/CL8/EDGELIT/14W/30K/FM/RND/WH/STD  
 UPC: 69549654563  
 Case quantity: 1/20  
 Luminaire description: Round LED Edge Lit Ceiling Luminaire

## PHOTOMETRICS - BEAM SPREAD\*



\* complete IES files available on our website.

## WARNINGS

- Installation and maintenance must be performed by licensed electricians only.
- To avoid risk of electric shock, make sure to turn off main power switch prior to installation or maintenance.
- Must be installed in compliance with Canadian Electrical Code in Canada or National Electrical Code (NEC) in the US.
- Make sure input voltage and frequency are compatible with the fixture. Check installation guide for power requirements prior to installation.

Qty	Description	Price

I accept the specifications of the luminaire configuration mentioned above.

Name: \_\_\_\_\_

Company: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_

The attached data is provided to assist users in making lighting decisions based on various assumptions, factors and methods. Resources and efforts have been put in place to account for the data and the development of this tool however STANDARD does not warrant or guarantee that the results obtained will be accurate under actual use conditions. A lighting layout is recommend to ensure the proper light levels are attained to satisfy the demand of the application. Data is based upon tests performed in a controlled environment and representative of relative performance. Actual performance can vary depending on operating conditions. Specifications are subject to change without notice.

