

## InvisiLED® Outdoor

IP67 Remote Power Supply 96W 120-277VAC/24VDC

Fixture Type:
Catalog Number:
Project:
Location:

i o/ itciliote i	Ower Supply	JOVV, 120 277	VACIZAVDC
Model & Product			

PS-24DC-U96R-IP67 Remote Power Supply 100-277VAC Input 24VDC 96 Watt IP67

8.375" X 2.8125" X 1.6875"

 $L \times W \times H$ 

Example: PS-24DC-U96R-IP67

**FEATURES** 

Mounting:

## **SPECIFICATIONS**

120-277 VAC, 50/60Hz Input:

ELV: % Dimming: 50000 Hours Rated Life:

Mounting metal case with screws, Can be mounted on ceiling or wall in all orientations

**BLACK** Finish:

-4°F to 104°F (-20°C to 40°C) **Operating Temp:** 

UL, cUL, WET Location Listed, IP67, Title 24 JA8 Compliant Standards:




FINISHES:
-----------



**LINE DRAWING:** 

## WAC LIGHTING





## InvisiLED® Outdoor

IP67 Remote Power Supply 96W, 120-277VAC/24VDC

Fixture Type:
Catalog Number:
Project:
Location:

ACCESSORIES						
	Model	Description	Finish			
e	T24-OD-IC12-WT T24-OD-IC120-WT T24-OD-IC6-WT T24-OD-IC72-WT	Joiner Cable Joiner Cable Joiner Cable Joiner Cable	WHITE WHITE WHITE WHITE			
	T24-OD-X-WT	X Connector	WHITE			
	T24-OD-Y-WT	Y Connector	WHITE			