

## NEW LED WALL PACK-WP17 SERIES

RZ's LED adjustable wall packs provide die-casting aluminum alloy heat sink. Adjustable direction can be available from 0-90 degree, so forward throw illumination can be precisely aimed. This is an ideal commercial outdoor fixture for buildings, and easily replace to any wall packs light, no matter full cut-off wall packs or semi cut-off wall packs.



## DATA SHEET LED ADJUSTABLE WALL PACKS

### PRODUCT BENEFITS

- ▶ Wet location rated IP65.
- ▶ UL/cUL, DLC 5.1 Premium Listed
- ▶ 3 CCT and 4 Wattage Selectable
- ▶ High Efficacy to 130LM/W
- ▶ Easy installation.
- ▶ Lifespan: >50,000Hrs
- ▶ Warranty 5 years



### PRODUCT SPECIFICATION

Model No.	WP17-20W	WP17-40W	WP17-60W	WP17-80W	WP17-100W	WP17-120W
Wattage	20W	40W	60W	80W	100W	120W
Lumens	2600LM	5200LM	7800LM	10400LM	13000LM	15600LM
Light Distribution	Typell	Typell	Typell	Typell	Typell	Typell

Efficacy	130LM/W (±10%)	Dimmable	0-10V
Input voltage	120-347VAC	Lens Material	PC
CCT	3500k-6500k	Housing	Die-cast Aluminum
THD	<20%	CRI	Ra>80
LED Type	2835	Operating Temperature	-22°F to 113°F (-30°C to +45°C)
IP Rating	IP65	Finish	Black/Bronze/Customized(Optional)
Power Factor	≥0.95	Additional function	DIP Switch 3 CCT & 4 Watts Selectable Photocell/Motion sensor optional
IK Degree	IK08	Life Time	>50,000Hrs (Ta=30°C@L80)
Certificates	UL/cUL, DLC 5.1 Premium	Warranty	5 Years
Frequency	50/60Hz		

### ADDITION ACCESSORIES



Plug-in Haisen Photocell  
or motion sensor



Built-in Photocell



DIP switch  
3 CCT & 4 Watts Selectable

DATA SHEET LED ADJUSTABLE WALL PACKS

PRODUCT APPEARANCE



DIP switch  
lower inventory risk  
3500K/4000K/5000K  
selectable and 4  
wattages selectable.



DC12V Photocell: dusk to dawn




Photocell: dusk to dawn

DC12V Motion sensor:  
Auto turn ON when feel movement


FEATURES:

Adjustable direction can be available from 0-90 degree




PRODUCT DIMENSION


CCT Selectable



20W-40W




60W-80W



100W-120W

**PRODUCT DIMENSION**

Single CCT



**20W-40W**

**60W-120W**

**100W-120W**

**PACKING INFO**

Model No.	Product Dimension (mm&inch)	Product Weight (Kgs)		Carton Size (mm&inch)	Qty/ CTN	20GP/PCS	40HQ/PCS
		N.W/pc	G.W/pc				
WP17-20M	164.9x130.4x197.1 /6.50"x5.14"x7.77"			255x210x165 /10.03"x8.26"x6.49"	1	2744	6665
WP17-40M					1	2744	6665
WP17-60M	215.9x154x234.6 /8.51"x6.07"x9.24"			300x260x185 /11.81"x10.23"x7.28"	1	1716	4166
WP17-80M					1	1716	4166
WP17-100M					1	1716	4166
WP17-120M					1	1716	4166
WP17-100M	266.9x160.5x271.7 /10.52"x6.32"x10.70"			335x312x195 /13.18"x12.28"x7.67"	1	1230	2986
WP17-120M					1	1230	2986
WP17-20M-3CCT	164.9x130.4x197.1 /6.50"x5.14"x7.77"			255x210x165 /10.03"x8.26"x6.49"	1	2744	6665
WP17-40M-3CCT					1	2744	6665
WP17-60M-3CCT	215.9x154x234.6 /8.51"x6.07"x9.24"			300x260x185 /11.81"x10.23"x7.28"	1	1716	4166
WP17-80M-3CCT					1	1716	4166
WP17-100M-3CCT	266.9x160.5x271.7 /10.52"x6.32"x10.70"			335x312x195 /13.18"x12.28"x7.67"	1	1230	2986
WP17-120M-3CCT					1	1230	2986