

LED SLIM SURFACE MOUNT DIMMABLE FIXTURE



**FOR INDOOR
USED ONLY**



**TRIAC
DIMMABLE**



**IC RATED- NO CAN
OR ANY HOUSING REQUIRED**



**AIR TIGHT
RATED**



The LED Slim Surface Mount has been engineered to install into most standard junction boxes. Easy to install, applicable to junction box or recessed can installation. Ideal for residential, office, retail, hospitality, etc.

TRIM FINISH

Black	
Brushed Nickel	
Bronze	



Beam Angle



Lifespan



Color Rendering
Index



Color
Temperature

COLOR ADJUSTABLE

2700K, 3000K, 3500K,
4000K, 5000K



120V
voltage



Wet
Locations


Sizes

4" Square 10W 600Lm	5" Round 10W 600Lm	6" Square 15W 900Lm	7" Round 15W 900Lm	9" Round 18W 1200Lm	9" Square 18W 1200Lm	12" Round 22W 1450Lm	12" Round 22W 1450Lm	12" Square 22W 1450Lm	15" Round 30W 2000Lm	19" Round 35W 2200Lm
----------------------------------	---------------------------------	----------------------------------	---------------------------------	----------------------------------	-----------------------------------	-----------------------------------	-----------------------------------	------------------------------------	-----------------------------------	-----------------------------------

Styles



Round



Square

LED SLIM SURFACE MOUNT DIMMABLE FIXTURE

Size	Shape	Model	Input Voltage	Watts	Lumen	CRI	CCT's
	4in Square	ADS4S-Tunable-5CCTYY	120V	10W	600Lm	80/90Ra	2,700K
							3,000K
	5in Round	ADS5R-Tunable-5CCTYY	120V	10W	600Lm	80/90Ra	3,500K
							4,000K
	6in Square	ADS6S-Tunable-5CCTYY	120V	15W	900Lm	80/90Ra	5,000K
							2,700K
	7in Round	ADS7R-Tunable-5CCTYY	120V	15W	900Lm	80/90Ra	3,000K
							3,500K
	9in Round	ADS9R-Tunable-5CCTYY	120V	18W	1200Lm	80/90Ra	4,000K
							5,000K
	9in Square	ADS9S-Tunable-5CCTYY	120V	18W	1200Lm	80/90Ra	2,700K
							3,000K
	12in Round	ADS12R-Tunable-5CCTYY (Plastic)	120V	22W	1450Lm	80/90Ra	3,500K
							4,000K
	12in Round	ADS12R-Tunable-5CCTYY (Plastic optional)	120V	22W	1450Lm	80/90Ra	5,000K
							2,700K
	12in Square	ADS12S-Tunable-5CCTYY	120V	22W	1450Lm	80/90Ra	3,000K
							3,500K
	15in Round	ADS15R-Tunable-5CCTYY	120V	30W	2000Lm	80/90Ra	4,000K
							5,000K
	19in Round	ADS19R-Tunable-5CCTYY	120V	35W	2200Lm	80/90Ra	2,700K
							3,000K
							3,500K
							4,000K
							5,000K


ORDERING GUIDE

YY represents different color finish. Example: 7in Round LED Slim Surface Mount White Finish, ADS7R-Tunable-5CCTWH

ADS12R-Tunable-5CCT-

WH=White
BK=Black
BN=Brushed Nickel
BZ=Bronze


DIMENSIONS




ADS4S-Tunable-5CCTYY

ADS5R-Tunable-5CCTYY


ADS6S-Tunable-5CCTYY




ADS7R-Tunable-5CCTYY




ADS9R-Tunable-5CCTYY




ADS9S-Tunable-5CCTYY




ADS12R-Tunable-5CCTYY
(Plastic)




ADS12R-Tunable-5CCTYY
(Plastic optional)



ADS12S-Tunable-5CCTYY



ADS15R-Tunable-5CCTYY



ADS19R-Tunable-5CCTYY