


### **C383A-11 SERIES**

## Ceiling Lamp

DRAWING: C383A-11 BK/WH



Description:

Fixture be made of shape of metal. High grade materials, high quality surface treatment, durable and not discolor easily. It is easy to install and looks beautiful.

Application: Home, Hotel, Restaurant, Public Area

#### SPECIFICATION DETAILS

Fixture Dimensions: W11"X H2-3/4"

Overall height: H 2-3/4"

Light source: LED / 5CCT turnable

Color Temperature: 2700K+3000K+3500K+

4000K+5000K

LED moudule: Replaceable

Wattage: 18W

CRI(Ra): 80CRI

LED Lumens: 2000lm

Voltage: 120V


Driver & LED Rate Life: 50,000 hours

Shade details: Metal + Acrylic

Frame finish: Black or White

Dimmable: Yes

Dimming: TRIAC or ELV dimmer(not included)










### **C383A-15 SERIES**

## Ceiling Lamp

DRAWING: C383A-15 BK/WH



Description:

Fixture be made of metal, High grade materials, high quality surface treatment, durable and not discolor easily. It is easy to install and looks beautiful.

Application: Home, Hotel, Restaurant, Public Area

#### SPECIFICATION DETAILS

Fixture Dimensions: W15"X H2-3/4"

Overall height: H 2-3/4"

Light source: LED / 5CCT turnable

Color Temperature: 2700K+3000K+3500K+

4000K+5000K

LED moudule: Replaceable

Wattage: 24W

CRI(Ra): 80CRI

LED Lumens: 2500lm

Voltage: 120V


Driver & LED Rate Life: 50,000 hours

Shade details: Metal + Acrylic

Frame finish: Black or White

Dimmable: Yes

Dimming: TRIAC or ELV dimmer(not included)



COMMENT






### **P383A-15 SERIES**

## Pendant Lamp

DRAWING: P383A-15 BK/WH



Description:

Fixture be made of metal, metal canopy. High grade materials, high quality surface treatment, durable and not discolor easily. It is easy to install and looks beautiful.

Application: Home, Hotel, Restaurant, Public Area

#### SPECIFICATION DETAILS

Fixture Dimensions: W15"X H3.94"

Overall height: H 78"

Light source: LED / 5CCT turnable

Color Temperature: 2700K+3000K+3500K+

4000K+5000K

LED moudule: Replaceable

Wattage: 24W

CRI(Ra): 80CRI

LED Lumens: 2500lm

Voltage: 120V

Driver & LED Rate Life: 50,000 hours

Wire: 78" SVT

Shade details: Metal + Acrylic


Canopy Dimensions: ¢ 4 3/4" X H1"

Frame finish: Black or White

Dimmable: Yes

Dimming: TRIAC or ELV dimmer(not included)

COMMENT








## **P383A-20 SERIES**

## Pendant Lamp

DRAWING: P383A-20 BK/WH



Description:

Fixture be made of metal, metal canopy. High grade materials, high quality surface treatment, durable and not discolor easily. It is easy to install

and looks beautiful.

Application: Home, Hotel, Restaurant, Public Area

#### SPECIFICATION DETAILS

Fixture Dimensions: W20"X H3.94"

H 78" Overall height:

Light source: LED / 5CCT turnable

2700K+3000K+3500K+ Color Temperature:

4000K+5000K

LED moudule: Replaceable

32W Wattage:

CRI(Ra): 80CRI

LED Lumens: 3500lm

Voltage: 120V

Driver & LED Rate Life: 50,000 hours

78" SVT Wire:

Shade details: Metal + Acrylic

¢ 4 3/4" X H1" Canopy Dimensions:

Frame finish: Black or White

Dimmable: Yes

Dimming: TRIAC or ELV dimmer(not included)

COMMENT

