



Project/Job Name: _____

Location: _____

Fixture Type: _____

Notes: _____

S11433 - 8.5 Watt; A19 LED Dimmable Agriculture Bulb; 5000K; 120 Volt



ELECTRICAL

Technology:	LED
Watts:	8.5W
Volts:	120V
Lumens:	1000L
CRI:	80+
CCT (Kelvins):	5000K - Natural Light
Beam Spread :	140
Hours Rated:	25000
Dimmable:	Yes-Dimmable -
Dimmable Down To %:	100 to 20 percent
Dimming Type :	Forward Phase or Reverse Phase or Phase Selectable
Incandescent Equivalent :	60W-75W
Operating Temperature :	-20C (-4F) to +45C (+113F)
Power Factor :	0.9
Light Source:	LED
Voltage Type:	AC Only
Warranty:	5-Years

PACKAGING

Each UPC:	045923114335
Each Quantity:	1
Each Dimensions:	2.44 x 2.44 x 4.92

PHYSICAL

Base:	Medium
Shape:	A19
Finish:	Frost
Dimensions (In.):	MOL: 4.61 - MOD: 2.36
Weight (Lbs.):	0.11
Material:	Aluminum / Plastic
Housing Color:	White

COMPLIANCE

Safety Listing:	cULus - Certified; cULus - Listed
Location Rating:	Wet
Indoor/Outdoor:	Indoor; Outdoor
DLC Approved:	No
BAA Compliant:	No
Enclosure Rating:	Enclosed Rated Lamp
Rated For Enclosed Fixture:	Yes
FCC Compliant:	Yes
IP Rating:	IP54
RoHS Compliant:	Yes
Restrictions:	Not For Sale In: CA



S11433 - 8.5 Watt; A19 LED Dimmable Agriculture Bulb; 5000K; 120 Volt

DIMMER COMPATIBILITY

Leviton	6674
Lutron	AYCL-153P
Lutron	CTRP-253P
Eaton	DALo6P-C2
Leviton	DDMX1
Leviton	DSL06-1LZ
Eaton	DULO6P-C2
Lutron	DVCL-153P
Lutron	DVRP-253P
Leviton	DW6HD
Leviton	IPL06
Lutron	LECL-153PH
Lutron	MA-PRO
Lutron	MACL-153M
Precision	MR42400PLS
Lutron	MSCL-OP153M
Lutron	NTCL-250
Lutron	NTRP-250
Overdrive	ODMR0205
Eaton	RF9640-ND
Legrand	RH703PTUTC
Legrand	RHCL450PTC
Lutron	RRD-6CL
Eaton	SALO6P
Eaton	SUF7
Eaton	VSULO6D

