



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S11781** - 13 Watt BR40 LED; Medium Base; CCT Selectable; White Finish; 90 CRI; 120 Volt; 4 Pack

- CCT Selectable



### ELECTRICAL

|                           |                                                      |
|---------------------------|------------------------------------------------------|
| Technology:               | LED                                                  |
| Watts:                    | 13W                                                  |
| Volts:                    | 120V                                                 |
| Lumens:                   | 1075L                                                |
| CRI:                      | 90+                                                  |
| Rg Value :                | 57                                                   |
| CCT (Kelvins):            | 27K/30K/35K/40K/50K - Warm<br>White to Natural Light |
| Beam Spread :             | 100                                                  |
| Hours Rated:              | 25000                                                |
| Dimmable:                 | Yes-Dimmable -                                       |
| Dimmable Down To %:       | 100 to 10 percent                                    |
| Dimming Type :            | Thyristor                                            |
| Incandescent Equivalent : | 75W                                                  |
| Operating Temperature :   | -20C (-4F) to +45C (+113F)                           |
| THD:                      | 71%                                                  |
| Power Factor :            | 0.7                                                  |
| Light Source:             | LED                                                  |
| CBCP :                    | 350                                                  |
| Voltage Type:             | AC Only                                              |
| Warranty:                 | 5-Years                                              |

### PACKAGING

|                  |                     |
|------------------|---------------------|
| Each UPC:        | 045923117817        |
| Each Quantity:   | 1                   |
| Each Dimensions: | 14.37 x 4.92 x 6.69 |

### PHYSICAL

|                   |                       |
|-------------------|-----------------------|
| Base:             | Medium                |
| Shape:            | BR40                  |
| Finish:           | White                 |
| Lens Finish:      | Frost                 |
| Lens Material:    | Plastic               |
| Dimensions (In.): | MOL: 6.37 - MOD: 4.74 |
| Weight (Lbs.):    | 0.27                  |
| Material:         | Plastic               |
| Housing Color:    | White                 |
| Lensed:           | Lensed Lamp           |

### COMPLIANCE

|                             |                                   |
|-----------------------------|-----------------------------------|
| Safety Listing:             | cULus - Certified; cULus - Listed |
| Location Rating:            | Damp                              |
| Indoor/Outdoor:             | Indoor                            |
| DLC Approved:               | No                                |
| BAA Compliant:              | No                                |
| Enclosure Rating:           | Enclosed Rated Lamp               |
| Rated For Enclosed Fixture: | Yes                               |
| FCC Compliant:              | Yes                               |
| RoHS Compliant:             | Yes                               |
| Restrictions:               | No Restrictions                   |



**S11781** - 13 Watt BR40 LED; Medium Base; CCT Selectable; White Finish; 90 CRI; 120 Volt; 4 Pack

#### DIMMER COMPATIBILITY

|         |           |
|---------|-----------|
| Leviton | 6672      |
| Leviton | 6674      |
| Leviton | 66DF-10W  |
| Leviton | 66ELV     |
| Satco   | 86/103    |
| Lutron  | AYCL-153P |
| Lutron  | AYCL-253P |
| Lutron  | CTCL-153P |
| Lutron  | CTRP-253P |
| Eaton   | DAL06P-C2 |
| Leviton | DDL06     |
| Leviton | DDMX1     |
| Leviton | DG6HD     |
| Leviton | DH6HD     |
| Leviton | DL6HD     |
| Leviton | DSE06-10Z |
| Leviton | DSL06     |
| Leviton | DSL06-1LZ |
| Leviton | DSM10     |
| Eaton   | DUL06P-C2 |
| Lutron  | DVCL-153P |
| Lutron  | DVCL-253P |
| Lutron  | DVRP-253P |
| Leviton | DW6HD     |
| Leviton | DZ6HD     |

|        |          |
|--------|----------|
| Lutron | HQRA-PRO |
|--------|----------|

SATCO.COM | 800-437-2826

© Satco Products, Inc.  
All rights reserved 2026

|                |             |
|----------------|-------------|
| <b>Lutron</b>  | HQRD-10D    |
| <b>Lutron</b>  | HQRD-10NBD  |
| <b>Lutron</b>  | HQRD-6ND    |
| <b>Lutron</b>  | HQRD-HN6BRL |
| <b>Lutron</b>  | HQRD-PRO    |
| <b>Lutron</b>  | HRST-PRO-N  |
| <b>Leviton</b> | IPLo6       |
| <b>Lutron</b>  | LECL-153P   |
| <b>Lutron</b>  | MA-PRO      |
| <b>Lutron</b>  | MACL-153M   |
| <b>Lutron</b>  | MACL-LFQ    |
| <b>Lutron</b>  | MRF2S-6ELV  |
| <b>Lutron</b>  | MSCL-OP153M |
| <b>Lutron</b>  | NTCL-250    |
| <b>Lutron</b>  | NTRP-250    |
| <b>Hubbell</b> | NXFRD-UNV   |
| <b>Lutron</b>  | PD-10NXD    |
| <b>Lutron</b>  | PD-5NE      |
| <b>Lutron</b>  | PD-6WCL     |
| <b>Lutron</b>  | RCL-153PNL  |
| <b>Eaton</b>   | RF9640-ND   |
| <b>Legrand</b> | RHCL450PTC  |
| <b>Leviton</b> | RNL06-10Z   |
| <b>Lutron</b>  | RRD-10D     |
| <b>Lutron</b>  | RRD-6CL     |
| <b>Lutron</b>  | RRD-6ND     |
| <b>Lutron</b>  | RRD-H6BRL   |
| <b>Lutron</b>  | RRD-PRO     |

|                |            |
|----------------|------------|
| <b>Lutron</b>  | RRST-PRO-N |
| <b>Satco</b>   | S11268     |
| <b>Eaton</b>   | SAL06P     |
| <b>Lutron</b>  | SCL-153P   |
| <b>Lutron</b>  | ST-PRO-N   |
| <b>Lutron</b>  | STCL-153M  |
| <b>Eaton</b>   | SUF7       |
| <b>Lutron</b>  | TGCL-153PH |
| <b>Leviton</b> | TSL06      |
| <b>Leviton</b> | TSM10      |
| <b>Lutron</b>  | TTCL-100H  |
| <b>Eaton</b>   | VSUL06D    |
| <b>Acuity</b>  | WSX-PDT-WH |
| <b>Legrand</b> | WWRL50WH   |