



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S21218** - 4.5 Watt G16.5 LED Filament; White; Medium base; 90 CRI; 2700K; 120 Volt



### ELECTRICAL

|                           |                                                    |
|---------------------------|----------------------------------------------------|
| Technology:               | LED                                                |
| Watts:                    | 4.5W                                               |
| Volts:                    | 120V                                               |
| Lumens:                   | 350L                                               |
| CRI:                      | 90+                                                |
| Rg Value :                | 54                                                 |
| CCT (Kelvins):            | 2700K - Warm White                                 |
| Beam Spread :             | 300                                                |
| Hours Rated:              | 15000                                              |
| Dimmable:                 | Yes-Dimmable - 120V only                           |
| Dimmable Down To %:       | 100 to 10 percent                                  |
| Dimming Type :            | Forward Phase or Reverse Phase or Phase Selectable |
| Incandescent Equivalent : | 40W                                                |
| Operating Temperature :   | -20C (-4F) to +45C (+113F)                         |
| Power Factor :            | 0.77                                               |
| Light Source:             | LED Filament                                       |
| Voltage Type:             | AC Only                                            |
| Warranty:                 | 2-Years                                            |

### PACKAGING

|                  |                    |
|------------------|--------------------|
| Each UPC:        | 045923205330       |
| Each Quantity:   | 1                  |
| Each Dimensions: | 2.17 x 2.17 x 3.62 |

### PHYSICAL

|                   |                                |
|-------------------|--------------------------------|
| Base:             | Medium                         |
| Shape:            | G16.5                          |
| Finish:           | White                          |
| Dimensions (In.): | MOL: 3.11 - MOD: 1.97          |
| Weight (Lbs.):    | 0.05                           |
| Material:         | Glass / Nickel Plated Aluminum |
| Housing Color:    | None                           |

### COMPLIANCE

|                             |                                   |
|-----------------------------|-----------------------------------|
| Safety Listing:             | cULus - Certified; cULus - Listed |
| Location Rating:            | Wet                               |
| Indoor/Outdoor:             | Indoor; Outdoor                   |
| DLC Approved:               | No                                |
| BAA Compliant:              | No                                |
| Enclosure Rating:           | Enclosed Rated Lamp               |
| Rated For Enclosed Fixture: | Yes                               |
| FCC Compliant:              | Yes                               |
| NSF Approved:               | No                                |
| RoHS Compliant:             | Yes                               |
| Restrictions:               | No Restrictions                   |



**S21218** - 4.5 Watt G16.5 LED Filament; White; Medium base; 90 CRI; 2700K; 120 Volt

#### DIMMER COMPATIBILITY

|         |      |
|---------|------|
| Leviton | 6672 |
|---------|------|

|         |      |
|---------|------|
| Leviton | 6674 |
|---------|------|

|         |       |
|---------|-------|
| Leviton | 66ELV |
|---------|-------|

|       |        |
|-------|--------|
| Satco | 86/103 |
|-------|--------|

|        |           |
|--------|-----------|
| Lutron | AYCL-153P |
|--------|-----------|

|        |           |
|--------|-----------|
| Lutron | CTRP-253P |
|--------|-----------|

|       |           |
|-------|-----------|
| Eaton | DALo6P-C2 |
|-------|-----------|

|         |       |
|---------|-------|
| Leviton | DDL06 |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DG6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DH6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DL6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DSL06 |
|---------|-------|

|         |           |
|---------|-----------|
| Leviton | DSL06-1LZ |
|---------|-----------|

|         |       |
|---------|-------|
| Leviton | DSM10 |
|---------|-------|

|       |           |
|-------|-----------|
| Eaton | DULO6P-C2 |
|-------|-----------|

|        |           |
|--------|-----------|
| Lutron | DVCL-153P |
|--------|-----------|

|        |           |
|--------|-----------|
| Lutron | DVRP-253P |
|--------|-----------|

|         |       |
|---------|-------|
| Leviton | DW6HD |
|---------|-------|

|         |       |
|---------|-------|
| Leviton | DZ6HD |
|---------|-------|

|         |          |
|---------|----------|
| Leviton | IPE04-1L |
|---------|----------|

|         |       |
|---------|-------|
| Leviton | IPL06 |
|---------|-------|

|        |            |
|--------|------------|
| Lutron | LECL-153PH |
|--------|------------|

|        |        |
|--------|--------|
| Lutron | MA-PRO |
|--------|--------|

|        |           |
|--------|-----------|
| Lutron | MACL-153M |
|--------|-----------|

|        |             |
|--------|-------------|
| Lutron | MSCL-OP153M |
|--------|-------------|

|        |          |
|--------|----------|
| Lutron | NTCL-250 |
|--------|----------|

|                |            |
|----------------|------------|
| <b>Lutron</b>  | NTRP-250   |
| <b>Lutron</b>  | PD-10WX    |
| <b>Lutron</b>  | PD-6WCL    |
| <b>Lutron</b>  | RCL-153PNL |
| <b>Eaton</b>   | RF9640-ND  |
| <b>Legrand</b> | RHCL450PTC |
| <b>Leviton</b> | RNL06-10Z  |
| <b>Lutron</b>  | RRD-6CL    |
| <b>Lutron</b>  | RRD-PRO    |
| <b>Satco</b>   | S11268     |
| <b>Eaton</b>   | SUF7       |
| <b>Eaton</b>   | TAL06P-C2  |
| <b>Leviton</b> | TSL06      |
| <b>Leviton</b> | TSM10      |