



Project/Job Name: \_\_\_\_\_

Location: \_\_\_\_\_

Fixture Type: \_\_\_\_\_

Notes: \_\_\_\_\_

**S21817** - 3 Watt B11 LED Filament; Clear; Candelabra Base; 2700K;  
200 Lumens; 120 Volt; 2-Pack



### ELECTRICAL

|                           |                                                                |
|---------------------------|----------------------------------------------------------------|
| Technology:               | LED                                                            |
| Watts:                    | 3W                                                             |
| Volts:                    | 120V                                                           |
| Lumens:                   | 200L                                                           |
| CRI:                      | 90+                                                            |
| R <sub>g</sub> Value :    | 53                                                             |
| CCT (Kelvins):            | 2700K - Warm White                                             |
| Beam Spread :             | 300                                                            |
| Hours Rated:              | 15000                                                          |
| Dimmable:                 | Yes-Dimmable - 120V only                                       |
| Dimmable Down To %:       | 100 to 20 percent                                              |
| Dimming Type :            | Forward Phase or Reverse Phase<br>or Phase Selectable or Triac |
| Incandescent Equivalent : | 25W                                                            |
| Operating Temperature :   | -20C (-4F) to +45C (+113F)                                     |
| Power Factor :            | 0.76                                                           |
| Light Source:             | LED Filament                                                   |
| Voltage Type:             | AC Only                                                        |
| Warranty:                 | 2-Years                                                        |

### PACKAGING

|                  |                    |
|------------------|--------------------|
| Each UPC:        | 045923218170       |
| Each Quantity:   | 1                  |
| Each Dimensions: | 1.81 x 5.98 x 8.58 |

### PHYSICAL

|                   |                       |
|-------------------|-----------------------|
| Base:             | Candelabra            |
| Shape:            | B11                   |
| Finish:           | Clear                 |
| Dimensions (In.): | MOL: 3.97 - MOD: 1.38 |
| Weight (Lbs.):    | 0.071                 |
| Material:         | Glass / Copper        |
| Housing Color:    | None                  |

### COMPLIANCE

|                             |                     |
|-----------------------------|---------------------|
| Safety Listing:             | cULus - Listed      |
| Location Rating:            | Wet                 |
| Indoor/Outdoor:             | Indoor; Outdoor     |
| DLC Approved:               | No                  |
| BAA Compliant:              | No                  |
| Enclosure Rating:           | Enclosed Rated Lamp |
| Rated For Enclosed Fixture: | Yes                 |
| FCC Compliant:              | Yes                 |
| RoHS Compliant:             | Yes                 |
| Restrictions:               | No Restrictions     |



**S21817** - 3 Watt B11 LED Filament; Clear; Candelabra Base; 2700K;  
200 Lumens; 120 Volt; 2-Pack

#### DIMMER COMPATIBILITY

|         |            |
|---------|------------|
| LEVITON | 6672       |
| LEVITON | 6674       |
| LEVITON | 66ELV      |
| LUTRON  | AYCL-153P  |
| LUTRON  | AYCL-253P  |
| LUTRON  | CTCL-153P  |
| LUTRON  | CTRP-253P  |
| Eaton   | DALo6P-C2  |
| LEVITON | DDMX1      |
| LEVITON | DG6HD      |
| LEVITON | DH6HD      |
| LEVITON | DL6HD      |
| LEVITON | DSEo6-1oZ  |
| LEVITON | DSL06      |
| LEVITON | DSL06-1LZ  |
| LEVITON | DSM10      |
| Eaton   | DUL06P-C2  |
| LUTRON  | DVCL-153P  |
| LUTRON  | DVCL-253P  |
| LUTRON  | DVRP-253P  |
| LEVITON | DW6HD      |
| LEVITON | DZ6HD      |
| LUTRON  | HQRA-PRO   |
| LUTRON  | HQRD-10D   |
| LUTRON  | HQRD-10NBD |
| LUTRON  | HQRD-6ND   |

|         |             |
|---------|-------------|
| LUTRON  | HQRD-HN6BRL |
| LUTRON  | HQRD-PRO    |
| LUTRON  | HRST-PRO-N  |
| LEVITON | IPE04-1L    |
| LEVITON | IPL06       |
| LUTRON  | LECL-153P   |
| LUTRON  | MA-PRO      |
| LUTRON  | MACL-153M   |
| LUTRON  | MACL-LFQ    |
| LUTRON  | MRF2S-6ELV  |
| LUTRON  | MSCL-OP153M |
| LUTRON  | NTCL-250    |
| LUTRON  | NTRP-250    |
| LUTRON  | PD-10NXD    |
| LUTRON  | PD-5NE      |
| LUTRON  | PD-6WCL     |
| LUTRON  | RCL-153PNL  |
| Eaton   | RF9640-ND   |
| LEGRAND | RHCL450PTC  |
| LEVITON | RNL06-10Z   |
| LUTRON  | RRD-10D     |
| LUTRON  | RRD-6CL     |
| LUTRON  | RRD-6ND     |
| LUTRON  | RRD-H6BRL   |
| LUTRON  | RRD-PRO     |
| LUTRON  | RRST-PRO-N  |
| SATCO   | S11268      |
| Eaton   | SAL06P      |

|                |            |
|----------------|------------|
| <b>LUTRON</b>  | SCL-153P   |
| <b>LUTRON</b>  | ST-PRO-N   |
| <b>LUTRON</b>  | STCL-153M  |
| <b>Eaton</b>   | SUF7       |
| <b>Eaton</b>   | TAL06P-C2  |
| <b>LUTRON</b>  | TGCL-153PH |
| <b>LEVITON</b> | TSL06      |
| <b>LEVITON</b> | TSM10      |
| <b>LUTRON</b>  | TTCL-100H  |
| <b>Eaton</b>   | VSUL06D    |